Application No.: 10/802,838 Docket No.: 1248-0704P

Reply to Office Action of June 1, 2007

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the

application.

Listing of Claims

Claim 1 (Canceled)

2. (Currently Amended) A switched capacitor filter having an anti-aliasing function,

comprising:

integration circuits of multiple stages, each having an amplifier and a switched capacitor,

and

wherein

the integration circuit of at least a first stage of the integration circuits of multiple stages

has a resistor, and

the a bipolar transistor is provided in an input stage of the amplifier in at least one of the

integration circuits having the resistor.

3. (Currently Amended) A switched capacitor filter having an anti-aliasing function,

comprising:

integration circuits of multiple-stages, each having an amplifier and a switched capacitor.

and

wherein

Application No.: 10/802,838 Docket No.: 1248-0704P

Reply to Office Action of June 1, 2007

an integration circuit of at least a first stage of the integration circuits of multiple stages has a resister-resistor,

the integration circuits each has a distributed gain so as to maintain a filtering function in each of the multiple-stages of integration circuits, and

an input stage of an amplifier which shows a strong 1/f noise reduction effect includes a bipolar transistor.

4. (Currently Amended) The switched capacitor as set forth in Claim 2, wherein:

the resistor is connected to the input stage of the amplifier, and

that is greater than a resistance of the resistor—which is connected to the input stage of the amplifier.

5. (Previously Presented) The switched capacitor as set forth in Claim 3, wherein:

the amplifier whose input stage include the bipolar transistor has an input impedance that is greater than a resistance of the resistor which is connected to the input stage of the amplifier.

Claim 6 (Canceled)

7. (Original) The switched capacitor filter as set forth in Claim 2, wherein:

the switched capacitor filter is provided on a single substrate.

Application No.: 10/802,838 Docket No.: 1248-0704P

Reply to Office Action of June 1, 2007

8. (Original) The switched capacitor filter as set forth in Claim 3, wherein:

the switched capacitor filter is provided on a single substrate.

Claim 9 (Canceled)

10. (Currently Amended) A digital wireless receiver, wherein comprising:

the switched capacitor filter of Claim 2 is used for (i) intermediate frequency band section of a digital wireless receiver which uses a low-to-intermediate frequency IF system, or (ii) an analog baseband section of a digital wireless communication receiver which uses no intermediate frequency.

11 (Currently Amended) A digital wireless receiver, wherein comprising:

the switched capacitor filter of Claim 3 is used for (i) intermediate frequency band section of a digital wireless receiver which uses a low-to-intermediate frequency IF system, or (ii) an analog baseband section of a digital wireless communication receiver which uses no intermediate frequency.